

ОПИСАНИЕ ПРОДУКТА

ARDINA Motor Oil SAE 5W30 ACEA C3 Fully Synthetic разработано как экономичное моторное масло с тщательно подобранными полностью синтетическими базовыми маслами с естественным высоким индексом вязкости. В сочетании со специально подобранными высокотехнологичными присадками это моторное масло подходит для использования в бензиновых и дизельных двигателях, с турбонагнетателями и без них. Кроме того, это моторное масло подходит для дизельных двигателей легковых автомобилей с насос-форсунками.

УРОВЕНЬ ПРОИЗВОДИТЕЛЬНОСТИ

- ✓ ACEA C3
- ✓ API SN
- ✓ BMW Longlife-04
- GM Dexos 2
- ✓ MB 229.51/229.52
- ✓ VW 505.00/505.01

Точка застывания

ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

-36°C

Плотность кг/л @15°C 0,850 Вязкость @-35°С мПа.с 6000 Вязкость @40°С мм2/с 72,60 Вязкость @100°С мм2/с 12,30 Индекс вязкости 168 Температура вспышки СОС 230°С

Общее количество основы 7,4 mgKOH/g

Зола, сульфатная 0,78%

ДЕТАЛИ УПАКОВКИ

Арт. No. 68501 68503

Содержание 1L/4L/5L/200L

Поддон N/A







ARDINA CAR CARE B.V. | Molenwerf 56 | 1911 DB Uitgeest | The Netherlands | sales@ardinacarcare.com

The content of this sheet is correct to the best of our knowledge. We do not accept responsibility for damage as a consequence of incompleteness or negligence and inaccuracies in this in-formation sheet. Recommendations or suggestions made in this sheet are made without guarantee of respresentations as to results. All terms of sale of the supplier are applied here.